

913E PGM 5-Tier Spinner Display Rack

Assembling Guide


- (1) **BASE** 1 pc.
- (2) **SPRING** 1 pc.
- (3) **INNER POLE** 1 pc.
- (4) **OUTER POLE** 1 pc.
- (5) **HOOK TIE** 5 pcs.
- (6) **SCREW** 5 pcs
- (7) **TOPPER** 1 pc.



(1)



(2)



(5)



(3)




(4)



(6)



(7)



Step 2


← Gently place **SPRING** on top of the **BASE**.

Step 1

Place **BASE** firmly on the ground.

Step 3

Insert **INNER POLE** into the **BASE** through **SPRING**.




*Make sure to twist the screw tightly after **INNER POLE** is inserted into the **BASE** completely.*

*Make sure to have **INNER POLE** standing on the end of the foot pedal.*

Step 4

Slide OUTER POLE over INNER POLE.



The top of INNER POLE must be aligned like this while stepping down the foot pedal.

When sliding OUTER POLE, make sure you are stepping down on the foot pedal with the top of INNER POLE aligned.

Step 5

Install HOOK TIE on.



Install SCREW first before slide in OUTER POLE, and make sure to twist tightly





Step 6

Twist the TOPPER on. You may adjust the height based upon your need.

Congratulations !!

Installation Complete.

